

Improving People's Lives

Property Address:

Date Checked:

Portable Electrical Appliance and Electrical Socket Safety Check

Carry out a visual inspection of all portable electrical appliances you

| supply to your tenants to identify defects. | | | | | |
|---|-----------------|---------------------------|---------------------------------|--|--|
| Look for damage to the plug (loose screws, exposed wires, burn marks, signs of overheating) Look for damage to leads / cables (fraying, exposed wires, use of tape etc) Look for any other damage / loose parts to the outer casing of the appliance itself | | | | | |
| Appliance | Date checked | Condition of Equipment | Corrective action (if required) | | |
| Fridge | | | | | |
| Freezer | | | | | |
| Washing Machine | | | | | |
| Tumble Drier | | | | | |
| Microwave | | | | | |
| Toaster | | | | | |
| Kettle | | | | | |
| Vacuum Cleaner | | | | | |
| Iron | | | | | |
| Table Lamp | | | | | |
| Floor Lamp | | | | | |



Improving People's Lives

Portable Electrical Appliance and Electrical Socket Safety Check

| Any other items | Date Checked | Condition of Equipment | Corrective action (if required) |
|-----------------|-----------------|---------------------------|---------------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Check electrical socket casing for signs of damage, exposed wires or cables and scorch marks

- There should be a minimum of 2 double electrical sockets (or equivalent in each bedroom
- There should be 4 spare electrical sockets for small appliances in the kitchen

| Electrical Sockets | Date Checked | Adequate Provision and Condition of Sockets | Corrective Action taken |
|--------------------|-----------------|---|-------------------------|
| Bedrooms | | | |
| Kitchen | | | |
| Living room | | | |
| Utility room | | | |
| Hallways | | | |
| | | | |
| | | | |